Be twice as ready.^{1,4}



KLOXXADO[™] contains twice as much medicine per spray as Narcan[®] Nasal Spray.^{1,4}

- The 4 mg in Narcan[®] Nasal Spray might not be enough.⁴
- 34% of opioid overdose reversals involved ≥2 doses of naloxone.⁵
- A patient may fall back into overdose if opioids outlast the effects of medicines to reverse the opioid overdose.¹

Ask your doctor about KLOXXADO.TM

If you're on an opioid, your risk for accidental opioid overdose could be higher⁶ if:

- you're taking a benzodiazepine (certain anxiety, insomnia or seizure medicines)
- you have a respiratory condition like COPD or sleep apnea
- you're currently in recovery for or have a history of substance abuse disorder (SUD)
- you're being treated for mental illness

"At my opioid dose, should I have KLOXXADO™ at home, just to be safe?"

Be prepared. Take action. Save lives.²

- KLOXXADO™ is ready to use. You do not need to prime or test the device.¹
- Overdoses involving highly potent opioids may require more naloxone to reverse, so KLOXXADO[™] contains more naloxone per dose.^{1,4,7}
- Keep monitoring the person after giving KLOXXADO.™ Some opioids may outlast the reversal effect of KLOXXADO,™ so the person may require additional dose(s).¹



INDICATION

KLOXXADO[™] is an opioid antagonist indicated for the emergency treatment of known or suspected opioid overdose, as manifested by respiratory and/or central nervous system depression, for adult and pediatric patients. KLOXXADO[™] is intended for immediate administration as emergency therapy in settings where opioids may be present. KLOXXADO™ is not a substitute for emergency medical care.¹

BRIEF SUMMARY OF SAFETY²

See full ISI on interior spread.

When an unintentional, life-threatening overdose happens, use KLOXXADO™ to block opioid receptors and to reverse the effects of the drug, then call 911.¹

\$0 could reverse an opioid overdose⁸

KLOXXADO[™] is the first naloxone nasal spray to offer a savings card. Pay as little as \$0 (up to \$40 savings for eligible patients).8

To learn more about KLOXXADO™ and download the savings card, please visit www.kloxxado.com.

- Across KLOXXADO's[™] two PK studies, adverse reactions were reported in two subjects for each of the following: abdominal pain, asthenia, dizziness, headache, nasal discomfort, and presyncope.
- Risk of Recurrent Respiratory & CNS Depression; Risk of limited efficacy with partial agonists or mixed agonist/antagonists; Precipitation of severe opioid withdrawal; Risk of CV effects



Kloxxado, (naloxone HCl) nasal spray 8 mg



Save a life from opioid overdose.^{1,2}

INDICATION

KLOXXADO[™] is an opioid antagonist indicated for the emergency treatment of known or suspected opioid overdose, as manifested by respiratory and/or central nervous system depression, for adult and pediatric patients. KLOXXADO™ is intended for immediate administration as emergency therapy in settings where opioids may be present. KLOXXADO[™] is not a substitute for emergency medical care.

See full ISI on interior spread.

Accidents happen.

Just like a car wreck or house fire, you'll never see it coming.

But you can do one, simple thing to prevent an accidental opioid overdose from being fatal.² Keep yourself, your family and your friends prepared. Keep KLOXXADO™ as part of your first aid kit.

Across KLOXXADO's[™] two PK studies, adverse reactions were reported in two subjects for each of the following: abdominal pain, asthenia, dizziness, headache, nasal discomfort, and presyncope.¹



This can reverse the effects.¹

The medicine in KLOXXADO[™] is the same, proven medicine that first responders have used for a suspected overdose for more than 50 years.³ So administering naloxone isn't likely to harm someone, but it could save their life.²

For people who are opioid-dependent, withdrawal can occur (body aches, diarrhea, tachycardia, fever, runny nose, sneezing, piloerection, sweating, yawning, nausea or vomiting, nervousness, restlessness or irritability, shivering or trembling, abdominal cramps, weakness and increased blood pressure), but is usually not life threatening.¹

INDICATION

KLOXXADO[™] is an opioid antagonist indicated for the emergency treatment of known or suspected opioid overdose, as manifested by respiratory and/or central nervous system depression, for adult and pediatric patients. KLOXXADO[™] is intended for immediate administration as emergency therapy in settings where opioids may be present. KLOXXADO™ is not a substitute for emergency medical care.

See full ISI on interior spread.

KLOXXADO™ (naloxone hydrochloride) Nasal Spray 8 mg Important Safety Information

CONTRAINDICATIONS

WARNINGS AND PRECAUTIONS

- Risk of Recurrent Respiratory and Central Nervous System Depression responding or responds and then relapses back into respiratory depression.
- Risk of Limited Efficacy With Partial Agonists or Mixed Agonist/Agonists Larger or repeat doses of naloxone hydrochloride may be required.
- Precipitation of Severe Opioid Withdrawal

Abrupt reversal of opioid effects in persons who were physically dependent on opioids has precipitated an acute withdrawal syndrome. In some patients, there was aggressive behavior upon abrupt reversal of an opioid overdose.

Abrupt postoperative reversal of opioid depression after using naloxone hydrochloride may result in nausea, vomiting, sweating, tremulousness, tachycardia, hypotension, hypertension, seizures, ventricular tachycardia and fibrillation, pulmonary edema and cardiac arrest. Death, coma and encephalopathy have been reported as sequelae of these events. These events have primarily occurred in patients who had pre-existing cardiovascular disorders or received other drugs that may have similar adverse cardiovascular effects. Monitor these patients closely in an appropriate healthcare setting.

References

- 1 KLOXXADO™ (Naloxone HCl) Nasal Spray [prescribing information]. Berkeley Heights, NJ: Hikma Pharmaceuticals USA, Inc.; 2021
- 2 Having Naloxone on Hand Can Save a Life During 5 an Opioid Overdose. Food and Drug Administration. Accessed May 3, 2021. https://www.fda.gov/ consumers/consumer-updates/having-naloxonehand-can-save-life-during-opioid-overdose
- Jordan MR, Morrisonponce D. Naloxone. StatPearls. Accessed March 26, 2021. https://www.ncbi.nlm.nih. gov/books/NBK441910/

Hypersensitivity to naloxone hydrochloride or to any of the other ingredients in KLOXXADO™

Seek emergency assistance immediately after administration of the first dose and keep the patient under continued surveillance. The duration of action of most opioids may exceed that of KLOXXADO,™ resulting in a return of respiratory and/or central nervous system depression after an initial improvement in symptoms. Administer additional doses as necessary if the patient is not adequately

Reversal of respiratory depression by partial agonists or mixed agonist/antagonists may be incomplete.

Use in patients who are opioid-dependent may precipitate opioid withdrawal characterized by body aches, diarrhea, tachycardia, fever, runny nose, sneezing, piloerection, sweating, yawning, nausea or vomiting, nervousness, restlessness or irritability, shivering or trembling, abdominal cramps, weakness and increased blood pressure. In neonates, opioid withdrawal may be life-threatening if not recognized and properly treated and may include convulsion, excessive crying and hyperactive reflexes. Monitor the patient for the development of the signs and symptoms of opioid withdrawal. For more information about management of opioid withdrawal, see the full Prescribing Information.

> 4 NARCAN[®] (Naloxone HCl) Nasal Spray [prescribing information]. Plymouth Meeting, PA: Adapt Pharma, Inc.; 2020

Avetian et. al. 2018, "Use of naloxone nasal spray 4mg in the community setting: a survey of use by community organizations", Current Medical Research and Opinion

Naloxone: the opioid reversal drug that saves lives. US Department of Health and Human Services. Accessed March 26, 2021. https://www.hhs.gov/ opioids/sites/default/files/2018-12/naloxonecoprescribing-guidance.pdf

Naloxone. National Institutes of Health. Accessed March 26, 2021. https://www.drugabuse.gov/ publications/drugfacts/naloxone

KLOXXADO™ (Naloxone HCl) Nasal Spray Savings Card [terms and conditions]. Columbus, OH: Hikma Specialty USA, Inc.; 2021

ADVERSE REACTIONS

In two pharmacokinetic studies, a total of 47 healthy adult volunteers were exposed to a single dose of KLOXXADO,[™] one spray in one nostril.

- Adverse reactions were reported in two subjects for each of the following: abdominal pain, asthenia, dizziness, headache, nasal discomfort, and presyncope.
- Signs of nasal inflammation and nasal congestion were observed
- Serious adverse reactions reported: none

The following most frequently reported events (in decreasing frequency) have been identified primarily during post-approval use of naloxone hydrochloride: withdrawal syndrome, vomiting, nonresponsiveness to stimuli, drug ineffective, agitation, somnolence, and loss of consciousness.

USE IN SPECIFIC POPULATIONS

Pregnancy

Naloxone may precipitate opioid withdrawal in the pregnant woman and fetus. Careful monitoring is needed until the fetus and mother are stabilized.

Infants

In situations where the primary concern is for infants at risk for opioid overdose, consider the availability of alternate naloxone-containing products.

For more information, please see the full Prescribing Information and Patient Information, which you can find in the full press release published on our website at https://www.hikma.com/newsroom/#pageRS=1.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit https://www.fda.gov/medwatch or call 1-800-FDA-1088.

Distributed by: Hikma Pharmaceuticals USA Inc., Berkeley Heights, NJ 07922



Distr. by: Hikma. Specialty USA Inc. Columbus, OH 43228

KLOXXADO[™] is a trademark of Hikma Pharmaceuticals USA, Inc.

©2021 Hikma Pharmaceuticals USA Inc. All rights reserved.

Narcan[®] Is a registered trademark of Emergent Operations Ireland Limited.

All other trademarks and registered trademarks are the property of their respective owners.

For US Health Care Professionals only.

HK-1113-v1